

SEQUENCE LISTING

```
<110> Cocks, Thomas Mathew
Moffat, James David
<120> A METHOD OF TREATMENT AND AGENTS USEFUL
FOR SAME
```

- <130> DAVI122.001APC
- <140> US' 09/787,356
- <141> 2001-03-15
- <150> PCT/AU99/00775
- <151> 1999-09-15
- <150> AU/PP5922
- <151> 1998-09-15
- <150> AU/PP8658
- <151> 1999-02-12
- <160> 8
- <170> FastSEQ for Windows Version 4.0
- <210> 1
- <211> 6
- <212> PRT
- <213> Artificial Sequence
- <220>
- <223> The peptide TRAP from human protease-activated
 receptor 1 (PAR-1).
- <400> 1 Ser Phe Leu Leu Arg Asn 1 5
- <210> 2
- <211> 6
- <212> PRT
- <213> Artificial Sequence
- <220>
- <223> The peptide PAR2-AP from human protease-activated

```
receptor 2 (PAR-2).
    <400> 2
    Ser Leu Ile Gly Arg Leu
    <210> 3
    <211> 6
    <212> PRT
    <213> Artificial Sequence
    <220>
    <223> The human protease-activated receptor 2 (PAR-2)
          tethered ligand sequence
    <400> 3
    Ser Leu Ile Gly Lys Val
                      5
<210> 4
    <211> 6
    <212> PRT
    <213> Artificial Sequence
=
    <220>
<223> Scrambled peptide sequence
(Ti
    <400> 4
    Leu Ser Ile Gly Arg Leu
U
                      5
.
الحا
    <210> 5
    <211> 7
    <212> PRT
    <213> Artificial Sequence
    <220>
    <223> The carboxyl-terminal of mouse protease-activated
          receptor 2 (PAR2)
    <400> 5
    Cys Ser Val Lys Thr Ser Tyr
```

```
<210> 6
    <211> 6
    <212> PRT
    <213> Artificial Sequence
    <220>
    <223> The protease-activated receptor 4 (PAR-4)
           activating peptide
    <400> 6
    Gly Tyr Pro Gly Lys Phe
    <210> 7
    <211> 7
    <212> PRT
    <213> Artificial Sequence
    <220>
    <223> The human protease-activated receptor 2 (PAR-2)
tethered ligand sequence
    <400> 7
<u>I</u>
    Ser Leu Ile Gly Lys Val Asp
<210> 8
    <211> 6
Ų.
    <212> PRT
    <213> Artificial Sequence
    <220>
    <223> The protease-activated receptor 4 (PAR-4)
          activating peptide
    <400> 8
    Gly Tyr Pro Gly Gln Tyr
                      5
```